Telephone directory for Calcutta

864. SHRI SUKOMAL SEN: Will the Minister of COMMUNICATIONS be pleased to state:

(a) whether it is a fact that Calcutta Telephone Director has not been published after 1989;

(b) if so, what are the reasons therefor; and

(c) by when the new Directory is expected to be published?

THE MINISTER OF STATE OF THE MINISTRY OF COMMUNICATIONS (SHRI SUKH RAM): (a) and (b) Yes, Sir. The last Telephone Directory of Calcutta Telephones was published in 1989. The contractor who was assigned the job of printing Calcutta Telephone Directory failed to bring out the Directory after 1989.

(c) The new Directory is likely to be published by March, 1994.

Electronic telephone exchanges in the district of Gujarat

865. SHRI ANANTRAY DEVSHANKER DAVE:

SHRI RAMSINH RATHWA:

Will the Minister of COMMUNICATIONS be pleased to state:

(a) what is the number of Telephone Exchange in Kachh, Junagadh, Amrei, Surender nagar District of Gujarat State separately and the number of electronic exchanges out of them; and

(b) what are the details of other Exchanges of these districts which are likely to be converted into electronic exchanges during the year 1993-94?

THE MINISTER OF STATE OF THE MINISTRY OF COMMUNICATIONS (SHRI SUKH RAM): (a) Number of Telephone Exchanges in Kachh, Junagarh, Amreli and Surendernagar Districts of Gujarat State are given below:

Name of District	Total No. of Telephone exchanges as on 30-6-93	No. of Electronic exchanges as on 30-6-93
1. Kachh	94	41
2. Junagarh	73	37
3. Amreli	50	29
4. Surendernagar	53	43

(b) Details given in the Statement.

Statement

List of exchanges likely to be converted into Electronic Exchanges during 1993-94 *in Kachh, Junagadh, Amreli and Surendranagar Districts.*

Sl. No.	Name of District	Name of exchange
1	2	3
1.	KUTCH (BHUJ)	1. ADIPUR 900 L MAX. II TO 1400 L C DOT
		2. K. MANDVI 880 L CBN TO 100 0 L C DOT
		3. KANDLA 400 L MAX. II to 1000 L C DOT
		4. BIDADA 200 L MAX. II TO 512 C DOT
		5. BHIMASAR(B) 25 L MAX. III TO 128 C DOT
		6. BITTA 20 L MAX. III TO -do-

1	2	3
		7. JAKHAJ 25 LINES MAX. III TO 128-C D OT
		8. KHARAGOGA 25 L. MAX. III TO -do-
		9. KHAVDA 25 L MAX. III TO -do-
		10. KOTDA(R) 25 L MAX. III TO -do-
		11. LAIJA 25 L MAX.III TO -do-
		12. LUNI 25 L MAX. III TO -do-
		13. NIRONA 25 L MAX. III TO -do-
		14. PADANPUR 25 L MAX. III TO -do-
		15. SAMAKHIYALI 25 L MAX.III TO -do-
		16. TAPAR 50 L. MAX. III TO -do-
		17. TERA 25 LINES MAX. III TO -do-
		18. TRAMBHAU 25 L MAX. III TO -do-
		19. UGEDI 25 L MAX, III TO -do-
		20. VANDHIYA 25 L MAX. III TO -do-
		21. VANKI 25 L MAX. III TO -do-
		22. VAYOR 25 L MAX. III TO -do-
		23. BALASAR 25 L MAX. III TO 64 MILT
		24. FATEHGANJ 25 L MAX. III TO -do-
		25, GHADULI 25 L MAX. III TO -do-
		26, GOYLA 25 L MAX. III TO -do-
		27. LAKHAPIR 25 L MAX. III TO -do-
		28. LODAI 25 L MAX. III TO -do-
		29. LODAI 25 MAX. III TO -do-
		30. MATANA MADH 25 L MAX. III TO -do-
		31, MOTA ASAMBIA 25 L MAX. III TO -do-
		32. PANDIMO (KLTP) 25 L MAX. III TO -do-
		33. SUMAHASAR 25 L MAX. III TO -do-
		34. BIMASAR (C) 50 L MAX. III TO 128 PC DOT
		35. DUDHAI 35 L MAX. III TO -do-
		36. DUMRA 50 L MAX. III TO -do-
		37. GANGAPARA 35 L MAX. III TO -do-
		38. KANDAGARA 50 L MAX. III TO -do-
		39. KHAMBHRA 50 L MAX. III TO -do-

1	2	3
		40. KHEDAI 50 L MAX. III TO 128 P C DOT
		41. KOTDA(C) 50 L MAX. III TO -do-
		42. KUKMA 25 L MAX. III TO -do-
		43. MOIHLA 50 L MAX. III TO -do-
		44. NETRA 50 L MAX. III TO -do-
		45. RATNAL 50 L MAX. III TO -do-
		46. PROVATAR 50 L MAX. III TO -do-
		47. SANBIMRAL 35 L MAX. III TO -do-
		48. SUTHART 50 L MAX. III TO -do-
		49. TUNA 50 L MAX. III TO -do-
		50. VITHON 50 L MAX. III TO -do-
2.	JUNAGADH	1. KESHOD 1220 CBM TO 2 K C DOT
		2. MANUVADAR 600 MAX. II TO 1000 C DOT
		3. KUTTYANA 200 L MAX. II TO 4 x 128 C DOT
		4. BANIWA ,, ,, ,,
		5. ADVANA 50 L MAX. III TO 128 P C DOT
		6. AJOTHA 25 L MAX. III TO ,,
		7. AKOLWADI 64 MILT TO ,,
		8. AMARPUR GIR 50 L MAX. III TO ,,
		9. ARANIYALA 50 L MAX. III TO ,,
		10. BAGDU 50 L MAX. III TO ,,
		11. BILESHWAR 50 L MAX. III TO ,,
		12. PATANA 25 L MAX. III TO ,,
		13. LUSHALA 50 L MAX. III TO ,,
		14. TUKDAGOSA 25 L MAX. III TO ,,
		15. VISAWADA 50 L MAX. III TO ,,
		16. ADARI 25 MAX. III TO ,,
		17. BAMANSHA 50 L MAX. III TO ,,
		18. BHALGAM 25 L MAX. III TO ,,
		19. MOHABAIPURA 25 L MAX. III TO ,,
		20. SANKHEDA (JND) 25 MAX. III TO ,,
		21. SARSAI 25 L MAX. III TO ,,
		22. SASANGIR 25 L MAX. III TO ,,
		23. SHARMA 25 L MAX. III TO ,,

1	2	3
		24. ZAPODAD 25 L MAX. III TO P C DOT
		25. BHOKAVA 35 L MAX. III TO 64 MILT
		26. KADACHH 25 L MAX. III TO 64 MILT
		27. KHAGESHRI 25 L MAX. III TO 64 MILT
		28. MANGNATH-PIPALI 25 L MAX. III TO 64 MILT
		29. NAVASANDAR 25 L MAX. III TO ,,
		30. RANA KHIRASARA 25 L MAX. III TO ,,
		31. RANA VADALA 25 L MAX. III TO ,,
		32, MADHAVPUR GIR 25 L MAX. III TO ,,
		33. MAHIYARI 25 L MAX. III TO ,,
		34. BALAGAM 25 L MAX. III TO ,,
3.	AMRELI	1. AMRELI 1800 L MAX. II TO 3 K C DOT
		2. DHARI 300 CBNM TO 512 C DOT
		3. BABHA 150 MAX. III TO 200 L ESAX
		4. DOLASA 25 L MAX. III TO 128 P C DOT
		5. EKLERA 50 L MAX. III TO ,,
		6. GHANTWAD 50 L MAX. III TO ,,
		7. GOVINPUR 25 L MAX. III TO ,,
		8. JAM-RAVAL 50 L MAX. III TO ,,
		9. MOTA DEVALIA 50 L MAX. III TO ,,
		10. NANAANKADIA 50 L MAX. III TO ,,
		11. VELAN 25 L MAX. III TO ,,
		12. DEDAN 25 L MAX. III TO ,,
		13 ANSODAR 25 L MAX. III TO ,,
		14. DHARGANI 25 L MAX. III TO ,,
		15, MOTA ANKADIA 25 L MAX. III TO ,,
		16. TATANIA 25 L MAX. III TO ,,
		17. ANIDA 25 L MAX, III TO 64 MILT
		18. UNTWAD 25 L MAX. III TO ,,

1	2	3
4.	SURENDRANAGAR	1. THANGADH 600 L MAX. II TO 1000 L C DOT
		2. DHRUMATH 25 L MAX. II TO 128 P C DOT
		3. KHARAGHODA 64 MILT TO ,,
		4. KHOLADIAD 35 L MAX. III TO ,,
		5. MOTA ANKEVALIA 25 L MAX. III TO ,,
		6. NIMAKHAGAR 25 L MAX. III TO ,,
		7. SARA 25 L MAX. III TO ,,
		8. TAKAR (RAN) 25 L MAX. III TO ,,
		9. DHOLI 25 L MAX. III TO 64 MILT.
		10. KANKAVALI 25 L MAX. III TO 64 MILT.

Abbreviations

CBM	—	Manual Exchange.
MAX-II	—	Strowger (Electromechanical) Medium Sized.
MAX-III	—	Strowger (Electromechanical) Small Sized.
C DOT, ILT, MILT	—	Digital Electronic.

गुजरात के सूरत जिले में इलैक्ट्रोनिक टेलीफोन केन्द्र

866. **श्री अनन्तराय देवशंकर दवे :**
श्री राम सिंह राठवा :

क्या **संचार** मंत्री यह बताने की कृपा करेंगे कि :

(क) गुजरात के सूरत जिले में दिनांक 20 जून, 1993 तक कितने इलैक्ट्रोनिक टेलीफोन केन्द्र कार्यरत हैं और इनमें से कितनों में एस. टी. डी. सुविधा उपलब्ध कर दी गयी ;

(ख) 1993–94 के वित्तीय वर्ष के दौरान सूरत जिले में कितने टेलीफोन केन्द्रों में एस० टी० डी० की सुविधा उपलब्ध करा दी जायेगी और इस अवधि के दौरान कितने नये टेलीफोन केन्द्र स्थापित किये जायेंगे;

(ग) क्या सरकार 1993–94 के दौरान सूरत शहर और इसके जिले में नये टेलीफोन कनैक्शन उपलब्ध करायेगी;

(घ) क्या सूरत शहर में मौजूदा टेलीफोन केन्द्र का विस्तार करने संबंधी कोई प्रस्ताव सरकार के विचाराधीन है; और

(ङ) यदि हां, तो उसका ब्यौरा क्या है ?

संचार मंत्रालय के राज्य मंत्री (श्री सुखराम) : (क) 30.6.93 की स्थिति के अनुसार गुजरात के सूरत जिले में 41 इलेक्ट्रानिक एक्सचेंज चालू हैं जिनमें से 11 एक्सचेंजों में एस. टी. डी. सुविधा उपलब्ध है।

(ख) 1993-94 की अवधि के दौरान 11 टेलीफोन एक्सचेंजों में एस०